

L Number	Hits	Search Text	DB	Time stamp
1	267	<p>(frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or embed\$5 or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 01:49
2	27110	<p>345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 01:49

09/816,453

3	30	<p>((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or embed\$5 or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)</p> <p>) and (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 01:50
---	----	---	---	------------------

4	53	<p>((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or embed\$5 or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT) .</p> <p>) and ("382" or "348" or "375" or "341" or "386" or "345" or "358").clas.</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 01:51
---	----	--	---	------------------

5	24	<p>((frame\$1 or interframe or intraframe or Bframe or lframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or lfield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or embed\$5 or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) and ("382" or "348" or "375" or "341" or "386" or "345" or "358").clas.) not (((frame\$1 or interframe or intraframe or Bframe or lframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or lfield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or embed\$5 or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) and (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/662.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 02:16
Search History	3/26/04	448/662.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or		

9	285	<p>(frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)</p> <p>same (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or lfield\$3 or Pfield\$3)</p> <p>near7 (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 02:22
---	-----	---	---	------------------

10	44	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)</p> <p>same (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or subband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 02:22
----	----	---	---	------------------

11	38	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or suband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPiHT)</p> <p>same (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or suband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPiHT)</p> <p>)) not (((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 03:04
Search History	3/26/04	4:14:28 AM Page 7 same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or embed\$5 or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or		

12	8603	<p>(frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identifi\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 03:04
13	1149	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identifi\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 03:16
14	193	<p>(frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identifi\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (disparat\$4 or different\$4 or separat\$3 or distinct\$4 or parallel\$4 or concurrent\$4 or simultaneous\$4 or two or double or doubling or dual or both or many or multiple\$1 or plural\$4 or several or multi)</p> <p>near4 (transform\$5 or coder\$1 or encod\$4 or compres\$4)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 03:17

15	109	<p>(345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (disparat\$4 or different\$4 or separat\$3 or distinct\$4 or parallel\$4 or concurrent\$4 or simultaneous\$4 or two or double or doubling or dual or both or many or multiple\$1 or plural\$4 or several or multi)</p> <p>near4 (transform\$5 or coder\$1 or encod\$4 or compres\$4)</p> <p>)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 03:17
----	-----	--	---	------------------

16	99	<p>((345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) and ((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (disparat\$4 or different\$4 or separat\$3 or distinct\$4 or parallel\$4 or concurrent\$4 or simultaneous\$4 or two or double or doubling or dual or both or many or multiple\$1 or plural\$4 or several or multi)</p> <p>near4 (transform\$5 or coder\$1 or encod\$4 or compres\$4)) not (((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p> <p>near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)</p> <p>near7 (detect\$3 or discern\$5 or perceiv\$3 or distinguish\$3 or decid\$3 or decision\$3 or decree\$3 or judg\$3 or conclud\$3 or recogni\$6 or identif\$8 or ascertain\$4 or discover\$4 or determin\$7 or type\$1 or kind\$1 or discrimin\$6 or evaluat\$4)</p> <p>same (SAQ or successiv\$4 adj1 approximat\$4 adj1 (quantis\$7 or quantiz\$7) or embed\$5 or (insignific\$5 or significan\$5) near (root\$1 or tree\$1 or map\$3 or positiv\$4 or negativ\$4) or set adj1 partition\$4 or (sort\$3 or refine\$5) near pass\$3 or list\$1 near (dominan\$4 or subordinat\$3 or significan\$4 or insignifican\$4) or LIP or LSP or LIS or LL\$2 or HL\$2 or LH\$2 or HH\$2 or suband\$1 or subband\$1 or sub adj1 band\$1 or (synthesis near7 analysis) or (decomposition near7 reconstruction) or hierarch\$7 or heirarch\$7 or wavelet\$1 or WSQ or WLT or DWT or IWLT or IDWT or zerotree\$4 or zero near isolated or ZTE or IZ or ZTR or filter\$3 near1 (bank\$1 or scale or mirror) or filterbank\$3 or filterscal\$3 or mirrorfilter\$3 or multiresolution or multi adj1 resolution or MRA or pyramid\$5 or QMF\$1 or GQMF\$1 or CQF\$1 or EZW or IEZW or SZT or ondelette\$1 or Morlet or Symlet or Daubechies or Haar or Meyer or Coiflet or biorthogonal\$4 or bi adj1 orthogonal\$4 or (TS or TT or S) adj1 Transform\$5 or Lifting or Cohen near Daubechies or Daubechies near Feaveau or Cohen near Feaveau or "S + P" or "S+P" or SPIHT or VSPIHT)) and (345/555.ccls. or 382/166.ccls. or 382/232-253.ccls. or 348/14.13.ccls. or 348/384.1-440.1.ccls. or 348/608.ccls. or 348/642.ccls. or 348/699.ccls. or 348/700.ccls. or 358/1.15.ccls. or 358/1.16.ccls. or 358/426.01-426.16.ccls. or 358/470.ccls. or 358/539.ccls. or 375/240-240.29.ccls. or 386/27.ccls. or 386/33.ccls. or 386/101.ccls. or 386/109-112.ccls. or 707/101.ccls. or 707/104.1.ccls. or 708/203.ccls. or 708/497.ccls. or 708/551.ccls. or 709/247.ccls. or 710/68.ccls.) not (((frame\$1 or interframe or intraframe or Bframe or Iframe or Pframe)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 03:17
Search History	3/26/04 4:14:29 AM	Page 40		
C:\APPS\EA\ST\Workspac	near7 (field\$1 or interfield\$3 or intrafield\$3 or Bfield\$3 or Ifield\$3 or Pfield\$3)			